

WEG665 WCS TDos&9kg  
W1 front-loader washing machine  
with TwinDos, CapDosing and Miele@home for smart laundry care.



- Precise and automatic detergent dispensing with TwinDos®
- The Pre-ironing extra reduces creasing and saves up to 50 % time and effort#
- Exclusive CapDosing range for different textiles and stains
- Display & convenient operation at your fingertips – ComfortSensor
- Miele@home – clever networking opens up new possibilities\*

\* Additional digital offer from Miele & Cie. KG. All smart applications are made possible with the Miele@home system. The range of functions can vary depending on the model and the country.



EAN: 4002516257790 / Material number: 11359270 / Old Material Number: 11EG6655GB

| Construction type                                                              |                             |
|--------------------------------------------------------------------------------|-----------------------------|
| Suitable for stacking                                                          | •                           |
| Side-by-side                                                                   | •                           |
| Slot-in                                                                        | •                           |
| Can be built-under                                                             | •                           |
| Door hinge                                                                     | right                       |
| Model                                                                          |                             |
| Product brand                                                                  | W1 Chrome Edition           |
| Front-loader                                                                   | •                           |
| Spinning                                                                       |                             |
| Max. spin speed                                                                | 1400                        |
| Rinse hold                                                                     | •                           |
| Without spin function                                                          | •                           |
| Design                                                                         |                             |
| Appliance colour                                                               | Lotus white                 |
| Control panel colour                                                           | Lotus white                 |
| Rotary selector colour                                                         | Lotus White / Chrome ring   |
| Control panel version                                                          | Straight                    |
| Control type                                                                   | Rotary control              |
| Display                                                                        | ComfortSensor white, 1 line |
| Cleaning performance                                                           |                             |
| TwinDos automatic detergent dispensing                                         | •                           |
| CapDosing portioned dispensing                                                 | •                           |
| Gentle laundry care                                                            |                             |
| Honeycomb drum                                                                 | •                           |
| Load in kg                                                                     | 9.0                         |
| User convenience                                                               |                             |
| Networking with Miele@home                                                     | •                           |
| Delay start up to 24 hours                                                     | •                           |
| Time left display                                                              | •                           |
| Programme sequence indicator                                                   | •                           |
| Drum lighting                                                                  | LED                         |
| Multilingual                                                                   | •                           |
| AutoClean detergent drawer                                                     | •                           |
| AddLoad                                                                        | •                           |
| Efficiency and sustainability                                                  |                             |
| Energy efficiency class (A–G)                                                  | A                           |
| Weighted energy consumption per 100 operating cycles for the wash cycle in kWh | 49                          |
| Weighted water consumption per cycle in l                                      | 48                          |
| Spin efficiency class                                                          | B                           |
| Acoustic airborne noise emission class (spin cycle)                            | A                           |
| Sound emissions during spin cycle in dB(A) re 1 pW                             | 68                          |
| Duration of the "ECO 40–60" programme at nominal capacity                      | 209                         |
| Power rating in off mode in W                                                  | 0.40                        |
| Power rating in networked standby in W                                         | 0.80                        |
| Low temperature wash "Cold" and "20 °C"                                        | •                           |
| Automatic load control                                                         | •                           |
| Flow meter                                                                     | •                           |

WEG665 WCS TDos&9kg  
W1 front-loader washing machine  
with TwinDos, CapDosing and Miele@home for smart laundry care.



EAN: 4002516257790 / Material number: 11359270 / Old Material Number: 11EG6655GB

|                                                           |                     |
|-----------------------------------------------------------|---------------------|
| Foam sensing                                              | •                   |
| ProfiEco motor                                            | •                   |
| <b>Wash programmes</b>                                    |                     |
| Automatic plus                                            | •                   |
| Cottons (coloureds)                                       | •                   |
| Minimum iron                                              | •                   |
| Delicates                                                 | •                   |
| Shirts                                                    | •                   |
| Silk (hand-washable)                                      | •                   |
| Woollens (hand-washable)                                  | •                   |
| Express 20                                                | •                   |
| Dark garments / Denim                                     | •                   |
| Outerwear                                                 | •                   |
| Proofing                                                  | •                   |
| Sportswear                                                | •                   |
| Clean machine                                             | •                   |
| Cottons Arrow                                             | •                   |
| Separate rinse/Starch                                     | •                   |
| Drain / Spin                                              | •                   |
| ECO 40-60                                                 | •                   |
| <b>Washing extras</b>                                     |                     |
| Short                                                     | •                   |
| Soak                                                      | •                   |
| Pre-wash                                                  | •                   |
| Water plus                                                | •                   |
| Additional rinse cycle                                    | •                   |
| Extra quiet                                               | •                   |
| Pre-ironing with steam                                    | •                   |
| Buzzer                                                    | •                   |
| AllergoWash                                               | •                   |
| <b>Quality</b>                                            |                     |
| Suds container                                            | Stainless Steel     |
| Counterweights made of cast iron                          | •                   |
| <b>Safety</b>                                             |                     |
| Water protection system                                   | Watercontrol-System |
| Safety lock                                               | •                   |
| PIN-Code                                                  | •                   |
| Optical interface                                         | •                   |
| <b>Technical data</b>                                     |                     |
| Dimensions in mm (width)                                  | 596                 |
| Dimensions in mm (height)                                 | 850                 |
| Dimensions in mm (depth)                                  | 636                 |
| Appliance depth in mm with opened door                    | 1054                |
| Appliance depth excluding door (for building-under) in mm | 600                 |
| Weight in kg                                              | 95                  |
| Total rated load in kW                                    | 2.10-2.40           |
| Voltage in V                                              | 220-240             |
| Fuse rating in A                                          | 13                  |
| Frequency in Hz                                           | 50                  |
| Length of supply lead in m                                | 2                   |
| Replacing lamps                                           | Service             |



WEG665 WCS TDos&9kg  
W1 front-loader washing machine  
with TwinDos, CapDosing and Miele@home for smart laundry care.




EAN: 4002516257790 / Material number: 11359270 / Old Material Number: 11EG6655GB

| Accessories included                        |                                                                                          |
|---------------------------------------------|------------------------------------------------------------------------------------------|
| 3 Caps                                      | •                                                                                        |
| UltraPhase 1 + 2                            | •                                                                                        |
| Voucher for 5 Miele UltraPhase cartridges   | •                                                                                        |
| Available display languages                 |                                                                                          |
| Available display languages via MultiLingua | bahasa malaysia, deutsch,<br>english (AU), english (GB),<br>español, português, ,<br>, , |


WEG665 WCS TDos&9kg

W1 front-loader washing machine


with TwinDos, CapDosing and Miele@home for smart laundry care.




W1 installation drawing, slanted fascia or straight fascia, measures in mm



W1 drawing, slanted fascia or straight fascia, measures in mm



W1 drawing, slanted fascia or straight fascia, measures in mm



W1 drawing, slanted fascia or straight fascia, measures in mm